



ELSEVIER

---

---

**Aquaculture**

---

---

Aquaculture 211 (2002) 403–405

www.elsevier.com/locate/aqua-online

## Contents of *Aquaculture*, Volume 211

**VOL. 211 NOS. 1–4****23 August 2002****Diseases, Parasites and Predators**

A fish nodavirus associated with mass mortality in hatchery-reared red drum, <i>Sciaenops ocellatus</i> M.-J. Oh, S.-J. Jung, S.-R. Kim, K.V. Rajendran, Y.-J. Kim (Yosu, South Korea), T.-J. Choi, H.-R. Kim (Pusan, South Korea) and J.-D. Kim (Yosu, South Korea) . . . . .	1
Microbiology of summer flounder <i>Paralichthys dentatus</i> fingerling production at a marine fish hatchery S.D. Eddy (Portsmouth, NH, USA) and S.H. Jones (Durham, NH, USA) . . . . .	9
Models of comparative acute toxicity of injectable erythromycin in four salmonid species Y. Kiryu and C.M. Moffitt (Moscow, ID, USA) . . . . .	29
Culture of <i>Vibrio alginolyticus</i> C7b, a potential probiotic bacterium, with the microalga <i>Chaetoceros muelleri</i> B. Gomez-Gil, A. Roque and G. Velasco-Blanco (Mexico, Mexico) . . . . .	43
Production of polyclonal antisera against barramundi ( <i>Lates calcarifer</i> Bloch) serum immunoglobulin derived from affinity columns containing mannan-binding protein or staphylococcal protein A P.B.B. Crosbie and B.F. Nowak (Launceston, Tas., Australia) . . . . .	49

**Genetics and Breeding**

Coupling body weight and its composition: a quantitative genetic analysis in rainbow trout A. Kause (Jokioinen, Finland), O. Ritola, T. Paaninen (Tervo, Finland), E. Mäntysaari (Jokioinen, Finland) and U. Eskelinen (Valkola, Finland) . . . . .	65
Sex control and sex determinism study in Eurasian perch, <i>Perca fluviatilis</i> , by use of hormonally sex-reversed male breeders C. Rougeot, B. Jacobs (Liège, Belgium), P. Kestemont (Namur, Belgium) and C. Melard (Liège, Belgium) . . . . .	81
Performance comparisons between diploid and triploid sunshine bass in fresh water ponds J.H. Kerby, J.M. Everson (Kearneysville, WV, USA), R.M. Harrell (Cambridge, MD, USA), J.G. Geiger (Hadley, MA, USA), C.C. Starling and H. Revels (Webster, FL, USA) . . . . .	91

**Husbandry and Management**

Rearing Venus clam seeds, <i>Cyclina sinensis</i> (Gmelin), on a commercial scale W. Liu, Y. Ma, S. Hu (Dalian, People's Republic of China), G. Miao and J. Li (Jinzhou, People's Republic of China) . . . . .	109
An improved nitrifying enrichment to remove ammonium and nitrite from freshwater aquaria systems R. Grommen, I. Van Hauteghem (Ghent, Belgium), M. Van Wambeke (Beernem, Belgium) and W. Verstraete (Ghent, Belgium) . . . . .	115
Pen culture of mud crab <i>Scylla serrata</i> in tidal flats reforested with mangrove trees A.T. Triño and E.M. Rodriguez (Tigbauan, Philippines) . . . . .	125
Effect of photoperiod on growth and survival of snapper <i>Pagrus auratus</i> larvae D.S. Fielder (Taylors Beach, NSW, Launceston, Australia), W.J. Bardsley, G.L. Allan (Taylors Beach, NSW, Australia) and P.M. Pankhurst (Launceston, Australia) . . . . .	135

Bioeconomic analysis of improving management productivity regarding grouper <i>Epinephelus malabaricus</i> farming in Taiwan S. Miao (Keelung, Taiwan, ROC) and H.-C. Tang (Taipei, Taiwan, ROC) . . . . .	151
<b>Nutrition</b>	
Influence of diet on ongrowing and nutrient utilization in the common octopus ( <i>Octopus vulgaris</i> ) B. García García and F. Aguado Giménez (Murcia, Spain) . . . . .	171
Growth, feed efficiency and feed intake of offspring from selected and wild Japanese flounder ( <i>Paralichthys olivaceus</i> ) H.Y. Ogata, H. Oku (Nansei, Japan) and T. Murai (Shimonoseki, Japan) . . . . .	183
Effect of temperature on growth, chemical composition and fatty acid composition of tropical Australian microalgae grown in batch cultures S.M. Renaud, L.-V. Thinh, G. Lambrinidis and D.L. Parry (Darwin, NT, Australia) . . . . .	195
Apparent digestibility of protein, amino acids and energy in rainbow trout ( <i>Oncorhynchus mykiss</i> ) fed a fish meal based diet extruded at different temperatures M. Sørensen, K. Ljøkje, T. Storebakken (As, Norway), K.D. Shearer (Seattle, WA, USA) and A. Skrede (As, Norway) . . . . .	215
Effects of digestible protein and lipid levels in practical diets on growth, protein utilization and body composition of juvenile rockfish ( <i>Sebastodes schlegeli</i> ) S.-M. Lee (Kangnung, South Korea), I.G. Jeon and J.Y. Lee (Pusan, South Korea) . . . . .	227
Ontogenetic development of the intestinal enzymes of cultured Nile tilapia, <i>Oreochromis niloticus</i> L. B. Tengjaroenkul (Khon Kaen, Thailand), B.J. Smith, S.A. Smith (Blacksburg, VA, USA) and U. Chatreewongsin (Chiang Mai, Thailand) . . . . .	241
Isolation of new nanoplanktonic diatom strains and their evaluation as diets for juvenile Pacific oysters ( <i>Crassostrea gigas</i> ) R.M. Knuckey, M.R. Brown, S.M. Barrett and G.M. Hallegraeff (Hobart, Tas., Australia) . . . . .	253
The effect of nitrogen loading on the growth rates of quahogs ( <i>Mercenaria mercenaria</i> ) and soft-shell clams ( <i>Mya arenaria</i> ) through changes in food supply E.T. Weiss, R.H. Carmichael and I. Valiela (Woods Hole, MA, USA) . . . . .	275
Effect of dietary cellulose on digestion in the prawn <i>Macrobrachium rosenbergii</i> M.C. González-Peña (São Paulo, Brazil), A.J. Anderson (Brisbane QLD, Australia), D.M. Smith (Cleveland QLD, Australia) and G.S. Moreira (São Paulo, Brazil) . . . . .	291
Osteological development and abnormalities of the vertebral column and caudal skeleton in larval and juvenile stages of hatchery-reared Senegal sole ( <i>Solea senegalensis</i> ) P.J. Gavaia, M.T. Dinis and M.L. Cancela (Faro, Portugal) . . . . .	305
<b>Physiology and Endocrinology</b>	
Hemolymph oxyhemocyanin, protein, osmolality and electrolyte levels of whiteleg shrimp <i>Litopenaeus vannamei</i> in relation to size and molt stage W. Cheng, C.-H. Liu, D.-F. Yan (Pingtung, Taiwan) and J.-C. Chen (Keelung, Taiwan) . . . . .	325
Accumulation of hydroxy lipids in live fish infected with fish diseases R. Tanaka (Shimonoseki, Japan), Y. Higo, T. Shibata (Fukuoka, Japan), N. Suzuki (Shimonoseki, Japan), H. Hatake (Miyazaki, Japan), K. Nagayama and T. Nakamura (Fukuoka, Japan) . . . . .	341
Physiological stress responses, egg survival and sperm motility for rainbow trout broodstock anesthetized with clove oil, tricaine methanesulfonate or carbon dioxide E. Wagner, R. Arndt (Logan, UT, USA) and B. Hilton (Bicknell, UT, USA) . . . . .	353
Fertilization rate of Siberian sturgeon ( <i>Acipenser baeri</i> , Brandt) milt cryopreserved with methanol J. Glogowski (Olsztyn, Poland), R. Kolman, M. Szczepkowski (Olsztyn-Kortowo, Poland), Á. Horváth, B. Urbányi (Gödöllő, Hungary), P. Sicczyński (Olsztyn, Poland), A. Rzemieńiecki, J. Domagala (Poland), W. Demianowicz, R. Kowalski and A. Ciereszko (Olsztyn, Poland) . . . . .	367
Oxygen requirements of whitefish and vendace ( <i>Coregoninae</i> ) embryos at final stages of their development P. Czerkies, K. Kordalski, T. Golas, D. Krysinski and M. Luczynski (Olsztyn, Poland) . . . . .	375

**Short Communications**

<i>Caiman latirostris</i> growth: the effect of a management technique on the supplied temperature C. Piña (Entre Ríos, Santa Fe, Argentina) and A. Larriera (Santa Fe, Argentina) . . . . .	387
Larval rearing and spat production of <i>Marcia opima</i> (Gmelin) P. Muthiah, J.X. Rodrigo and N. Suja (Tuticorin, India) . . . . .	393
<b>Contents of Aquaculture, Volume 211</b> . . . . .	403